

# Reading & Writing Data Files

## Ch 6

- 1) What are **streams**, **objects**, and **classes**?
- 2) How can a program read and write a **plain text data file**?

# About Files

- **Volatile Storage**
  - Data in main memory (RAM) is "volatile":  
It does..
- **Non-volatile Storage**
  - Computers store data files on "non-volatile storage".
  - **Ex:** On the..
- **Reading/Writing**
  - Programs **write** to files to save/store data.
  - Programs **read** from files to load data.

# File streams

- C++ treats a file as a stream:
  - An input stream reads from a file: `ifstream`  
Use..
  - An output stream writes to a file: `ofstream`  
Use..
- Console Streams
  - `cin` is an input stream; `cout` is an output stream
- File Streams
  - Create your own input or output stream which read/write to files.

# File streams

- Streams are Objects

- They store some data, and have functions you can call on them.
- Call member functions on an object with..

- Example:

```
if(myStream.fail()) {  
    ...handle failure...  
}
```

`fail()` is a member function: it is a function which belongs to the object `myStream`.

# End of file & fail()

- Often want to read all data in a file

- Do this by:

1. Read some data
2. If reading failed, we're done
3. Process data
4. Goto #1

```
while (true) {  
    double value = 0;  
    dataFile >> value;  
    if (dataFile.fail()) {  
        break;  
    }  
    cout << value << endl;  
}
```

Input streams can report when you are at the end of the file:  
`myFile.eof()`

However, handling whitespace at end of file is tricky

More robust to just read until reading fails (as above):  
`myFile.fail()`

Note

# Reading a File

- ..  
ifstream dataFile("data.txt");  
if (dataFile.fail()) {  
 cout << "Unable to open data file.\n";  
 exit(EXIT\_FAILURE);  
} ..
- ..  
while (true) {  
 double value = 0;  
 dataFile >> value;  
 if (dataFile.fail()) {  
 break;  
 }  
 cout << "Read: " << value << endl;  
} ..
- ..  
dataFile.close();

# Read Ex: Sum numbers in file

```
#include <fstream>
#include <iostream>
#include <cstdlib>
using namespace std;

int main()
{
    // Open the file
    ifstream dataFile("data.txt");
    if (dataFile.fail()) {
        cout << "Failed to open.\n";
        exit(EXIT_FAILURE);
    }
```

```
    // Read all values, summing them up.
    double sum = 0;
    while (true) {
        double value = 0;

        dataFile >> value;
        if (dataFile.fail()) {
            break;
        }

        sum += value;
        cout << "Read: " << value << endl;
    }

    dataFile.close();

    cout << "Sum: " << sum << endl;
}
```

# Classes and Objects

- **Classes and Objects**
  - **Class**: a data type in C++ which allows you to..
  - **Objects** are..
    - Example with strings:  
`string myName;`
      - `string` is a **class** (the type)
      - `myName` is an **object** of type `string`.
  - When you create variables of type string it.. an object of type string.

# Writing a File

- **Open the file:**

```
ofstream fileOut("data.txt");  
if (fileOut.fail()) {  
    cout << "Error opening output file."  
    exit(EXIT_FAILURE);  
}
```

- **Write data:**

```
for (int i = 0; i < 10; i++) {  
    int value = rand();  
    fileOut << value << endl;  
}
```

- **Close File:**

```
fileOut.close();
```

# Write Ex: Write user's values to file

```
#include <iostream>
#include <fstream>
#include <cstdlib>
using namespace std;

int main()
{
    // Open the output file
    ofstream fileOut("data.txt");
    if (fileOut.fail()) {
        cout << "Error opening file.";
        exit(EXIT_FAILURE);
    }
}
```

```
// Write user values to file
bool done = false;
while (!done) {
    double value = 0;
    cout << "Enter a value (-1 to end): ";
    cin >> value;

    if (value == -1) {
        done = true;
    } else {
        fileOut << value << endl;
    }
}

// Close the file to flush the output.
fileOut.close();
}
```

# Read full lines

- Sometimes program needs whole line of text
  - Ex: csv file (comma separated)
- Can read in a file line-by-line

Use function..

```
int main()
{
    // Open the file (error checking
    // omitted for space)
    ifstream inputFile("data.txt");

    // Read the file, line by line,
    // and print to screen
    while (true) {
        string nextLine;
        getline(inputFile, nextLine);
        if (inputFile.fail()) {
            break;
        }
        cout << nextLine << endl;
    }
    inputFile.close();
}
```

# 3 ways of leaving: Exit, Return, Break

- `exit(EXIT_FAILURE);..`
  - Argument:
    - 0: Success
    - 1: Failure
  - Defined in `cstdlib`:  
`#include <cstdlib>`
- `return;`
- `break;`

# Summary

- Data files store information between program executions.
- **Objects** are **instances** of **classes**.
  - They have both data and member functions.
- Streams used to read/write files:
  - **ifstream**: input file stream
  - **ofstream**: output file stream
  - Use **>>**, **<<** and **getline()** to work with files.
- Use **exit()** to immediately exit the program.