

### General

#### Don't lose it!

 Put your name/email on your board, cables, and plastic case.

.. put label on plastic case.

- Don't leave it laying around:
   it looks cool, and might "wander off"
- 1 student left on bus.

#### General

Plugging/Unplugging

plugging/unplugging the hat, connecting pins to wires, or connecting LED light stick.
(students have fried target by shorting 5V to ground)

USB, Ethernet, audio OK to hot-swap.

#### Power

#### Current

- BYAI is powered by USB-C
- It uses a lot of power; gets very warm; ~1 amp when running
   OK to run on good PC connection
- If needing more power, use a powered USB-C adapter or USB hub.
- If low on power..
   May be an issue on some computers.

#### Voltage

- USB-C runs 5V nominal, but can negotiate to higher voltages
- E.g., 5V at 3.0A, 9V at 2.0A



# Electrostatic Discharge (ESD)

- Static electricity can very easily damage electronics.
  - The high static voltage will "punch through" the electronics making them malfunction.
  - Especially problematic in...
  - Don't wear fuzzy slippers and a polar fleece robe while working on board.
- Ground yourself before touching board
  - Touch unpainted metal case of power supply, or USB port on your grounded desktop PC.
- Take care when using push buttons.
  - Don't press buttons with metal pen, pencils, etc.
  - Try not to touch chips on board or headers.

# Pin capabilities

- BeagleY-Al CPU...
  - The microprocessor's I/O runs at 3.3V
    - Does not tolerate 5V applied to its pins: doing so can fry the CPU.
    - 1 student shorted 5V to GPIO pin; board dead
  - Some pins are 5V, others are 3.3V (USB is 5V).
    - Don't cross the streams.
- Don't short power pins to ground.
  - 1 student did; board dead
  - 1 student ran 3.3V through an LED to ground (no resistor); board dead.



# Liquids

- General idea:...
  - Keep your drink on the opposite side of your computer from the board.
  - No food or drink in the lab
- Cleaning if you do spill on your board:
  - Disconnect all cables & power.
  - Run board under water from tap for 10 minutes.
  - Dry it off well using...

# Physical Damage

- Carrying Suggestions
  - Transport board inside anti-static bag.
  - Protect board using the provided plastic box.
  - Make sure your name is on the case and cables
    - 100 identical copies floating around!
  - Pickup circuit board by the edges.

### Summary

- The board is yours!
   Enjoy it, but take good care of it.
- Treat eval-board carefully; it is good quality, but easily damaged.
  - Be careful about static electricity.
  - Keep liquids away from it.
  - Protect it from physical damage.